



REACH & RoHS
COMPLIANT

REV.	ECN / DESCRIPTION	BY	DATE
A0	NEW	MQ.QU	2020.05.11



NOTES:

1.MATERIAL:

CAGE:COPPER ALLOY,THICKNESS:0.25mm;
CONNECTOR HOUSING:GLASS FILLED THERMOPLASTIC;
UL 94V-0 COLOR:BLACK
TERMINALS:PHOSPHOR BRONZE
LIGHT PIPE: POLYCARBONATE COLOR CLEAR
LIGHT PIPE HOUSING:GLASS FILLED THERMOPLASTIC,UL 94V-0

2.FINISH



TERMINALS CONTACT AREA:PLATED-GOLD;
SOLDER TERMINAL AREA:PLATED-TIN.

TITLE: SFP+ 2*2 CAGE+CONNECTOR	SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: JP.Gong
PART NO.: HH10-2N3B230-04B	SACLE 1:1	REV A0	$x \pm 0.35$	$x^\circ \pm 3.0^\circ$	CHECKED BY: TW.Xu
REMARK:	SHEET 1/1		$.xx \pm 0.25$	$.xx^\circ \pm 1.5^\circ$	
			$.xxx \pm 0.10$	$.xxx^\circ \pm 1.0^\circ$	DESIGND BY: MQ.Qu

 东莞市涪程电子科技有限公司
DONG GUAN FU CHENG ELECTRONIC TECHNOLOGY Co., LTD

REACH & RoHS
COMPLIANT

REV.	ECN / DESCRIPTION	BY	DATE
A0	NEW	MQ.QU	2020.05.11



INNER/OUTER LIGHT PIPE

TITLE: SFP+ 2*2 CAGE+CONNECTOR	SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: JP.Gong
PART NO.: HH10-2N3B230-04B	SACLE 1:1	REV A0	x±0.35	x°±3.0°	CHECKED BY: TW.Xu
			.x±0.30	.x°±2.0°	
REMARK:	SHEET 1/1		.xx±0.25	.xx°±1.5°	DESIGND BY: MQ.Qu
			.xxx±0.10	.xxx°±1.0°	


 东莞市涪程电子科技有限公司
DONG GUAN FU CHENG ELECTRONIC TECHNOLOGY Co., LTD

A






8

REACH & RoHS
COMPLIANT



BEZEL
RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6



TITLE: SFP+ 2*2 CAGE+CONNECTOR	SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: JP.Gong
					CHECKED BY: TW.Xu
PART NO.: HH10-2N3B230-04B	SACLE 1:1	REV A0	x±0.35	x°±3.0°	DESIGND BY: MQ.Qu
REMARK:	SHEET 1/1		.xx±0.25	.xx°±1.5°	
			.xxx±0.10	.xxx°±1.0°	

 东莞市涪程电子科技有限公司
DONG GUAN FU CHENG ELECTRONIC TECHNOLOGY Co., LTD