





NOTES:

MATERIAL:

CAGE: NICKEL SILVER, THICKNESS 0.25mm

CONNECTOR:

PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.

SPRING: STAINLESS STEEL, THICKNESS 0.20mm

CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm

PLATING: 15 μ " MIN. GOLD ON MATING AREA,

150 μ " MIN. MATE TIN ON SOLDER TAILS.

PACKAGING: TRAY PACKAGING.

TEMPERATURE RANGE: -40°C TO +85°C

RoHS COMPLIANT


TITLE SFP 2X1 CAGE+CONNECTOR						东莞市涪程电子科技有限公司			
PART NO. HH10-1N3A002-00B						GENERAL TOLERANCE		UNIT:MM	SIZE: A4
DRAW	lror	DATE	2017-05-23	.X±0.20	.X±1°	SCALE: 1:1		SHEET:1/3	REV:A
CHECK	lror	DATE	2017-05-23	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2017-05-23	.XXX±0.10					



1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND .

TITLE				东莞市涪程电子科技有限公司				
SFP 2X1 CAGE+CONNECTOR								
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
HH10-1N3A002-00B								
DRAW	lrór	DATE	2017-05-23	.X±0.20	.X±1°		SCALE: 1:1	SHEET:2/3
CHECK	lrór	DATE	2017-05-23	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2017-05-23	.XXX±0.10				

RoHS COMPLIANT



RoHS COMPLIANT


TITLE
SFP 2X1 CAGE+CONNECTOR

PART NO.
HH10-1N3A002-00B

DRAW	lror	DATE	2017-05-23
CHECK	lror	DATE	2017-05-23
APPROVE	Victor	DATE	2017-05-23

东莞市涪程电子科技有限公司

GENERAL TOLERANCE



UNIT:MM

SIZE: A4

SCALE: 1:1

SHEET:3/3

REV:A